


City Fixing Guides

Fixing - 40 Vanity Unit Door Vanities




Included metal rail to be screwed on the wall. Below drawings show the centre of the mounting holes.

**VANITY WITH DOOR 40
WORKTOPS
BASINS 174W1, 135W**

**VANITY WITH DOOR 40
FULL COVER BASIN 165W**

View from side




* Fixing inside wall

SILICONE SEAL

We recommend that you secure from moisture between:
Basin and vanity unit/wall
Basin and work top/wall by sealing with silicone.

ADJUSTMENT OF CONSTRUCTION FITTINGS (MOUNTING BRACKETS) VANITY UNITS WITH DOORS



1. Adjustment in depth:
(This depth adjustment screw is used for depth adjustment and to secure the cabinet against the wall)
Backwards 7 mm
Forward 7 mm


2. Height adjustment:
Down 10 mm
Up 8 mm

Plumbing - 40 Vanity Unit Door Vanities

**VANITY WITH DOOR 40
BASIN 165W1**

**VANITY WITH DOOR 40
WORKTOPS
BASINS 174W1, 135W**

View from back



• Water
⊗ Drain
* Space for plumbing
** Centre of fixing holes


CITY ASSEMBLY INSTRUCTIONS

All furniture is supplied fully assembled. Before fixing we recommend that all doors and drawers are removed. Before drilling any holes make sure there are no water pipes or electrical cables buried within the wall. All measurements are for guidance only, for exact measurements please check each supplied product. We recommend that all products should be installed by a professional fitter. All measurements are in mm. **All products supplied must be carefully inspected before fitting.** If a product is found to be defective after or through incorrect fixing, Miller from Sweden Ltd. will not be held liable.

Miller


FINE BATHROOM INTERIORS

Fixing Guides - 60, 80, 100 Vanity with full cover basin



Included metal rail to be screwed on the wall. Below drawings show the centre of the mounting holes.

VANITY 60, 80, 100 FULL COVER BASINS



View from side

NOTE! Remember to customize the height on the vanity depending on choice of basin.



BASIN HEIGHTS

D-SHAPE 35 MM

120W1, 121W1, 122W1

OVAL 50 MM

124W1, 125W1, 126W1

RECTANGULAR 50 MM

110W1, 111W1, 113W1

VELCA 110 MM

128W1, 129W1, 130W1

CITY 16 MM


180W1, 181W1, 182W1

- * Centre of fixing holes
- ** Recommended total height incl. basin

SILICONE SEAL

We recommend that you secure from moisture between:
Basin and vanity unit/wall
Basin and work top/wall by sealing with silicone.

ADJUSTMENT OF CONSTRUCTION FITTINGS (MOUNTING BRACKETS) VANITY UNITS WITH DOORS



1. Adjustment in depth:
(This depth adjustment screw is used for depth adjustment and to secure the cabinet against the wall)
Backwards 7 mm
Forward 7 mm

2. Height adjustment:
Down 10 mm
Up 8 mm


Plumbing - 60, 80, 100 Vanity with full cover basins

VANITY WITH DRAWERS 60 BASINS 110W1, 120W1, 124W1, 128W1, 180W1

VANITY WITH DRAWERS 80 BASINS 111W1, 121W1, 125W1, 129W1, 181W1

VANITY WITH DRAWERS 100 BASINS 113W1, 121W1, 126W1, 130W1, 182W1

View from back




- Water
- ⊗ Drain
- *Space for plumbing
- **Centre of fixing holes

NOTE! REMEMBER TO ADJUST HEIGHT ON THE VANITY UNIT DEPENDING ON THE BASIN.

Fixing Guides - 60, 80, 100 Vanity with worktop and basin

VANITY WITH DRAWERS 60, 80, 100 WORKTOP AND BASIN




View from side

Attach the vanity unit with a worktop both in the supplied metal rail and the upper compartment wooden strip just below the worktop.

- *Centre of fixing holes

Plumbing - 60, 80, 100 Vanity with worktop and basin

VANITY WITH DRAWERS 60, 80, 100 WORKTOP AND BASIN



View from back

- Water
- ⊗ Drain
- *Space for plumbing
- **Centre of fixing holes

CITY ASSEMBLY INSTRUCTIONS

All furniture is supplied fully assembled. Before fixing we recommend that all doors and drawers are removed. Before drilling any holes make sure there are no water pipes or electrical cables buried within the wall. All measurements are for guidance only, for exact measurements please check each supplied product. We recommend that all products should be installed by a professional fitter. All measurements are in mm. **All products supplied must be carefully inspected before fitting.** If a product is found to be defective after or through incorrect fixing, Miller from Sweden Ltd. will not be held liable.

Miller


FINE BATHROOM INTERIORS

Fixing Guides Storage City



Included metal rail to be screwed on the wall. Below drawings show the centre of the mounting holes.

View from side



* Recommended height from floor
** Fixing inside wall

ADJUSTMENT OF CONSTRUCTION FITTINGS (MOUNTING BRACKETS) STORAGE CABINET



Depth adjustment:
Upper screw in cabinet
(This depth adjustment screw is used for depth adjustment , and to attach the cabinet to the wall).


Backwards 9 mm
Forward 11 mm

Height adjustment:
Lower screw in cabinet
Down 7,5 mm
Up 7,5 mm

Fittings seen from the back of the cabinet. Adjust hinges inside cabinet.

Electrical Storage City

View from back



* Centre of fixing holes

CITY ASSEMBLY INSTRUCTIONS

All furniture is supplied fully assembled. Before fixing we recommend that all doors and drawers are removed. Before drilling any holes make sure there are no water pipes or electrical cables buried within the wall. All measurements are for guidance only, for exact measurements please check each supplied product. We recommend that all products should be installed by a professional fitter. All measurements are in mm. **All products supplied must be carefully inspected before fitting.** If a product is found to be defective after or through incorrect fixing, Miller from Sweden Ltd. will not be held liable.


Miller

FINE BATHROOM INTERIORS

Fixing Guides Bathroom Cabinets Linear Led City

LINEAR LED 752, 753, 754, 755

View from side



- * Recommended height from floor
- ** Fixing inside wall



Included metal rail to be screwed on the wall. Below drawings show the centre of the mounting holes.

ADJUSTMENT OF CONSTRUCTION FITTINGS (MOUNTING BRACKETS) STORAGE CABINET



Depth adjustment:
Upper screw in cabinet
(This depth adjustment screw is used for depth adjustment, and to attach the cabinet to the wall).


Backwards 9 mm
Forward 11 mm

Height adjustment:
Lower screw in cabinet
Down 7,5 mm
Up 7,5 mm

Fittings seen from the back of the cabinet. Adjust hinges inside cabinet.

Electrical - Bathroom Cabinets Linear Led City

View from back



- * Space for electrical connections
- ** To the centre mounting holes
- *** Recommended height from the finished floor to the cord in the wall

Measurements on the back of the bathroom cabinet marks the space for wiring.

CITY ASSEMBLY INSTRUCTIONS

All furniture is supplied fully assembled. Before fixing we recommend that all doors and drawers are removed. Before drilling any holes make sure there are no water pipes or electrical cables buried within the wall. All measurements are for guidance only, for exact measurements please check each supplied product. We recommend that all products should be installed by a professional fitter. All measurements are in mm. **All products supplied must be carefully inspected before fitting.** If a product is found to be defective after or through incorrect fixing, Miller from Sweden Ltd. will not be held liable.

Miller

FINE BATHROOM INTERIORS